

# PRAVANA® SAFETY DATA SHEET


B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards SDS Revision: Date: 10-18-2018

## 1. PRODUCT & COMPANY IDENTIFICATION

1.1	Product Name:	Henkel Professional Hair Care – Pravana Volumizing Dry Shampoo
1.2	Product-Type Name:	Aerosol Hair Product
1.3	Synonyms:	Fresh Dry Shampoo B-10113B
1.4	Trade Names:	Volumizing Dry Shampoo
1.5	Product Use / Restrictions:	Professional and Cosmetic Use
1.6	Distributor's Name:	Pravana International
1.7	Distributor's Address:	5800 Bristol Parkway, Suite 700 Culver City CA, 90230
1.8	Emergency Phone:	<b>CHEMTEL: +1 (703) 527-3887 / +1 (800) 424-9300</b>
1.9	Business Phone / Fax:	855-Pravana

## 2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	<p>This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia)</p> <p><b>WARNING! PRESSURIZED CONTAINER: MAY BURST IF PUNCTURED OR PIERCED. CAUSES EYE IRRITATION.</b></p> <p><u>Classification:</u> Level 3 Aerosols; Aerosol 1 Extremely Flammable Aerosol</p> <p><u>Hazard Statement:</u> H222 –Extremely Flammable Aerosol. H229 Pressurized container: may burst if punctured or pierce. H320 – Causes eye irritation.</p> <p><u>Precautionary Statement (P):</u></p> <p>P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. P211 – Do not spray on an open flame or other ignition source. P251 – Do not pierce or burn, even after use. P261- Avoid breathing Vapor/spray. P264 – Wash thoroughly with soap and water after handling. P101- if medical advice is needed, have product container or label at hand. P102 – Keep out of reach of children. P271 - Use only in a well-ventilated area. P280 – Wear eye protection. P304+P340 – If inhaled: remove person to fresh air and keep comfortable for breathing. P305+P351+P338 – If in Eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P410+P412 – Protect from sunlight. Do not expose to temperature exceeding 48°C (120 °F). P501 – Dispose of contents/container to licensed and permitted disposal or recycling facility.</p>	
-----	------------------------	---	---

## 3. COMPOSITION & INGREDIENT INFORMATION

Substance / Chemical Name(s)	CAS No.	EINECS No.	%	Other
PROPANE	74-98-6	200-827-9	1 - 10 %	Extremely Flammable Gas; H220
Isobutane	75-28-5	200-857-2	40 – 60 %	Extremely Flammable Gas; H220
Ethanol (SD Alcohol 40B)	64-17-5	200-578-6	20 – 40 %	Flam. Liq. 2; H225

## 4. FIRST AID MEASURES

4.1	First Aid:	<p><u>Ingestion:</u> If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.</p> <p><u>Skin:</u> If irritation occurs &amp; product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.</p> <p><u>Eyes:</u> If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention.</p> <p><u>Inhalation:</u> Remove victim to fresh air and keep comfortable for breathing. Seek immediate medical attention.</p>
4.2	Effects of Exposure:	<p><u>Ingestion:</u> If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.</p>


## SAFETY DATA SHEET

B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards SDS Revision: Date: 10-18-2018

		<u>Skin:</u>	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.										
		<u>Eyes:</u>	Moderately irritating to the eyes.										
		<u>Inhalation:</u>	Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing.										
4.3	Symptoms of Overexposure:	<u>Ingestion:</u>	May cause nausea, vomiting and/or diarrhea and central nervous system depression.										
		<u>Skin:</u>	Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas.										
		<u>Eyes:</u>	Overexposure in eyes, may cause redness, itching and watering (risk of serious damage to eyes) Contact may cause mild eye irritation including stinging, watering and redness.										
		<u>Inhalation:</u>	Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing.										
4.4	Acute Health Effects:	Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.											
4.5	Chronic Health Effects:	No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.											
4.6	Target Organs:	Eyes, skin, respiratory system.											
4.7	Medical Conditions Aggravated by Exposure	Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. Existing dermatological conditions (such as eczema) and respiratory conditions (such as bronchial asthma and/or bronchitis) may be exacerbated.	<table border="1"> <tr> <td><b>HEALTH</b></td> <td><b>1</b></td> </tr> <tr> <td><b>FLAMMABILITY</b></td> <td><b>3</b></td> </tr> <tr> <td><b>PHYSICAL HAZARDS</b></td> <td><b>0</b></td> </tr> <tr> <td><b>PROTECTIVE EQUIPMENT</b></td> <td><b>B</b></td> </tr> <tr> <td><b>EYES</b></td> <td><b>SKIN</b></td> </tr> </table>	<b>HEALTH</b>	<b>1</b>	<b>FLAMMABILITY</b>	<b>3</b>	<b>PHYSICAL HAZARDS</b>	<b>0</b>	<b>PROTECTIVE EQUIPMENT</b>	<b>B</b>	<b>EYES</b>	<b>SKIN</b>
<b>HEALTH</b>	<b>1</b>												
<b>FLAMMABILITY</b>	<b>3</b>												
<b>PHYSICAL HAZARDS</b>	<b>0</b>												
<b>PROTECTIVE EQUIPMENT</b>	<b>B</b>												
<b>EYES</b>	<b>SKIN</b>												

## 5. FIREFIGHTING MEASURES

5.1	Fire and Explosion Hazards:	Level 3 Aerosol (NFPA 30B). (Category 1 flammable aerosol). Aerosols may burst at temperatures above 120°F. Cool uninvolved containers to prevent possible bursting. Aerosol may be projectile hazards when bursting. If Aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or expose gasses, if exposed to the heat of a fire. Keep containers cool by spraying them with water until the fire has been extinguished.	
5.2	Extinguishing Methods:	Water fog, Foam, Dry Chemical, CO <sub>2</sub> .	
5.3	Firefighting Procedures:	As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personnel. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.	

## 6. ACCIDENTIAL RELEASE MEASURES

6.1	Spills:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Plastic gloves, respirator, eye protection and apron may be required for clean-up of large spills.</p> <p><u>For Small spills:</u> (e.g., &lt; 1 gallon (3.8 L)) Wear appropriate personal protective equipment (e.g. goggles, gloves). Remove spilled material with absorbent material and place into appropriate container(s) for disposal. Sweep up material using non-sparking materials (e.g. plastic brooms, shovels, dustpans) and Maximize ventilation (open doors, windows). Dispose of properly in accordance with local, state, and federal regulations.</p> <p>Wash all affected areas, includes the outside of containers with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.</p> <p><u>For Large spills:</u> (e.g., ≥ 1 gallon (3.8 L)) Deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal. Place solid diking material into separated containers for proper disposal. Remove contaminated clothing promptly was, and wash affected skin areas with soap and water. Keep spills and cleaning runoff out of municipal sewers and open bodies of water.</p>
-----	---------	--

## SAFETY DATA SHEET

B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards SDS Revision: Date: 10-18-2018

## 7. HANDLING AND STORAGE INFORMATION

7.1	Work & Hygiene Practices	Do not eat, drink, or smoke while handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.
7.2	Storage and Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F (48°C). Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying, keep cap in place when not in use. Storage Level 1 Aerosols.
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

## 8. EXPOSURE CONTROLS &amp; PERSONAL PROTECTION

8.1	Exposure Limits: Ppm (mg/m <sup>3</sup> )	ACGIH		NOHSC			OSHA			OTHER
		TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
	Chemical Name(s)									
	<b>Isobutane</b>	600	750	NF	NF	NF	NA	NA	NA	
	<b>Ethanol (SD Alcohol 40B)</b>	1000	3000	1000	1800	NF	1000	1900	3300	
	<b>Propane</b>	1000	NA	1000	NF	NF	1000	NA	2100	
8.2	Ventilation & Engineering Controls	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product.								
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.								
8.4	Eye Protection:	Avoid eye contact. No eye protection required under normal conditions of use. Safety glasses should be used when handling or using large quantities of this product (e.g., ≥ 1 gallon (3.8 L)). Always use protective eyewear when cleaning spills or leaks. Contact eye-lenses pose a special hazard, also soft contact eye-lenses may absorb concentrate irritants, wear eye protection. Eye wash station and deluge showers must be available.								
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves. If necessary, refer to U.S. OSHA 29 CFR §1910.138, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.								
8.6	Body Protection:	No special body protection is required under normal conditions of use. No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs.), eye wash station and deluge showers must be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.								



## 9. PHYSICAL &amp; CHEMICAL PROPERTIES

9.1	Appearance:	Aerosol Misty Spray with Powders
9.2	Odor:	Characteristic
9.3	Odor Threshold	NA
9.4	pH:	N/A
9.5	Melting/Freezing Point	NA
9.6	Initial Boiling Point/ Boiling Range:	NA
9.7	Flashpoint:	-30° (-34°C) TCC for Propellant only; 36°F (2.2°) EPA Method 1010 for concentrate
9.8	Upper/Lower Flammability limits	LEL: 1.8 %/UEL: 9.5%
9.9	Vapor Pressure	@ 20° (68°) – Can pressure not to exceed 180 psig @ 55° (131°) 12.4 bar
9.10	Vapor Density	> 1
9.11	Relative Density:	0.804 – 0.814
9.12	Solubility:	Soluble
9.13	Partition Coefficient (log P <sub>ow</sub> ):	NA

## SAFETY DATA SHEET

B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards SDS Revision: Date: 10-18-2018

9.14	Auto-ignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	Aerosol at Ambient Temperature
9.17	Other Information:	Evaporation rate >1; percent volatile 94%

## 10. STABILITY &amp; REACTIVITY

10.1	Stability:	Stable at normal temperatures.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> )
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid	Excessive heat, direct sunlight, flames, heat sources and incompatible substances.
10.5	Incompatible Substances	Mixture with strong acids, alkalis or oxidizers.

## 11. TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Inhalation: YES	Absorption: YES	Ingestion: YES
11.2	Toxicity Data:	This product was not tested on animals. Toxicology data, found in scientific literature, is available and not presented for some of the components of the product and is presented below: Propane: LD <sub>50</sub> (Inhalation, rat): > 800,000mg/kg		
11.3	Acute Toxicity:	See Section 4.4		
11.4	Chronic Toxicity:	See Section 4.5		
11.5	Suspected Carcinogen:	NA		
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryo-toxicity:	This product is not reported to produce embryo-toxic effects in humans.		
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.		
11.7	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.		
11.7	Irritancy of Product:	See Section 4.3		
11.8	Biological Exposure Indices:	NA		
11.9	Physician Recommendations:	Treat symptomatically.		


## 12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	The product itself has not been tested as a whole. There is no specific data available for this product.

## 13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.
13.2	Special Considerations:	NA

## 14. TRANSPORTATION INFORMATION




14.1	49 CFR (GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) – until 12/31/2020	
14.2	IATA (AIR)	UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 L=L)	
14.3	IMDG (OCN):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	
14.4	TDGR (Canadian GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE"	
14.5	ADR/RID (EU):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	
14.6	SCT (MEXICO):	UN1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L)	
14.7	ADGR (AUS):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	

## SAFETY DATA SHEET

B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards SDS Revision: Date: 10-18-2018

## 15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product does not contain any substance subject to SATA Title III, section 313 reporting requirements.	
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity (RQ):	NA	
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics)	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol).	
15.7	State Regulatory Information:	Isobutane is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA, Pennsylvania Right to know list (PA) and New Jersey Right to Know Lists (NJ). Propane is found on the following state criteria lists: MA, MN, NJ, PA, and WA. Ethanol is found on the following state criteria lists: FL, MA, MN, NJ, PA and WA. No other ingredients in this product, preset in a concentration of 1.0% or greater are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts hazardous Substances list (MA, Michigan Critical Substances list (MI, Minnesota Hazardous Substances List (MN), New Jersey Right to Know List (NJ), New York Hazardous substances List (NY), Pennsylvania Right to Know List (PA), Washington Permissible Exposure list (WA), Wisconsin Hazardous Substances list (WI).	
15.8	Other Requirements:	The primary components of this product are listed in Annex I of the EU Directive 67/548/EEC. Isobutane: Flammable (F+). Risk Phases ®: 12 – Highly Flammable. Safety Phases (S) 2-9-16 – Keep out of reach of children. Keep containers in a well ventilated place. Keep Away from sources of ignition. No smoking. Ehtanol: Flammable (F+). Risk Phases ®: 11 – Flammable. Safety Phases (S) 2-7-16 – Keep out of reach of children. Keep containers tightly closed. Keep Away from sources of ignition. No smoking. Propane: Flammable (F+). Risk Phases ®: 12 – Highly Flammable. Safety Phases (S) 2-9-16 – Keep out of reach of children. Keep containers in a well ventilated place. Keep Away from sources of ignition. No smoking.	 

## 16. OTHER INFORMATION

16.1	Other Information:	<b>WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED, HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.</b> Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperature exceeding 50 °C (122 °F). IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. <b>KEEP OUT OF REACH OF CHILDREN.</b>	
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of Pravana INTL knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.	
16.4	Prepared By:	Henkel Corporation 5800 Bristol Parkway, Suite 700 Culver City CA, 90230	

# SAFETY DATA SHEET

B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards    SDS Revision:    Date: 10-18-2018



Flammable



Explosive



Oxidizer



Pressurized



Corrosive



Toxic



Harmful/Irritating



Health Hazard



Environment



Face Shield and Protective Eyewear



Apron



Dust Mask



Scuba



Protective Clothing



Full Suit



Boots



Safety Glasses



Gloves

## SAFETY DATA SHEET

B-10113 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards

SDS Revision:

Date: 10-18-2018



Full Face Respirator



Reactive



Irritant / Harmful



Biohazard



Oxidizing




Flammable



Infectious



Corrosive



Compressed



Toxic



Irritation